Yealink

# Yealink Collaboration Touch Panel CTP20

## A collaborative meeting experience at your fingertips

CTP20 is a collaborative touch panel that can be paired with Yealink's new generation video conference solutions. Its user-centered interactive design allows users to join a meeting quickly and effortlessly. The built-in annotation and whiteboard significantly improve meeting efficiency by enabling easy annotation on shared content and immediate discussion on the whiteboard. Adopting an industry-leading 13.3-inch touch screen and equipped with an active capacitive pen, CTP20 creates a realistic writing environment where customers can focus more on communication. The integrated touchable meeting control, annotation and whiteboard features of CTP20 offers a comfortable and productive collaborative meeting experience.

## Ultimate meeting control assists you to achieve more

· The touch control of the IPS screen outperforms traditional control modes magnificently. All meeting controls can be navigated on CTP20, including previewing and adjusting the camera, joining a meeting, inviting, recording, etc.
· When paired with the Yealink Wireless Presentation Pod WPP20, you can gain reverse control from CTP20 over your computer, resulting in multi-screen interaction which assists you to achieve more.




## Robust collaboration functionalities make the meetings simple and efficient

· Multiple participants can annotate at the same time with various kinds of markups. The real-time handwriting presentation, allows participants to see what is being written with no latency, making discussions much more effective.
· CTP20 features a built-in whiteboard. One Yealink video conferencing device can be connected with up to 4 CTP20 units. Users are enabled to write on the whiteboard synchronously, which helps participants to meet their discussion objectives more quickly.



## Natural writing free of distraction so you can focus on your ideas

The industry-leading 13.3-inch touch screen has been combined with a scalable canvas, such that every single idea can be recorded on the ample space provided by CTP20. In addition, the new active capacitive pen mimics a real writing experience, facilitating participants to focus on the topics of discussions instead of the technology.

## PoE and Wi-Fi connection offer a clutter-free meeting space

CTP20 supports PoE where one cable carries both data and power for the device. Data transmission between CTP20 and the terminal is realized either by cable or Wi-Fi, which eliminates the tricky wiring connections between the screen area and the conference table, making clean and well-organized meeting spaces a reality.



# CTP20 Collaboration Touch Panel Specification

| Module | Features | CTP20 |
|---|---|---|
| Basic | OS | Android |
| | Device connections simultaneously | up to 4* |
| | Wi-Fi | 2.4GHz/5GHz |
| | Touch pen | support active pressure capacitance pen |
| Display | Screen type | IPS full-fit HD capacitive touch screen |
| | Screen size | 13.3-inch |
| | Screen resolution | 1920×1080 |
| | Screen angle | Adjustable (15° ~ 70°) |
| Control Features | Device control | √ |
| | Advanced conference control | √ |
| | Live preview | √ |
| Collaboration Features | Whiteboard | √ |
| | Content sharing | √** |
| | Annotation on content sharing | √ |
| | Multi-screen interaction | √ |
| | Reverse control | √*** |
| | Multiple handwriting options | √ |
| | Canvas zoom | √ |
| Data Connection | Wired connection | √ |
| | Wireless connection | √ |
| Physical Connections | Network interface | 1×RJ-45 |
| | USB | 1×USB 2.0 Type-A<br>1×USB Type-C |
| | Microphone | √** |
| | Power over Ethernet | √ |

*VC880/VC800/VC500 supports up to 4 CTP20 simultaneously, and PoE power is required when connecting multiple CTP20.
VC200 only supports one CTP20 at one time and PoE power is required

**Content sharing and microphone functions will be supported through software updates

*** Reverse control needs to be used with WPP20

KONTEL - importer i dystrybutor
vcs_yealink@kontel.pl | www.kontel.pl

2019-01-CTP20-YW-V1.0